

I. THEMEN MASTERSEMINAR SOMMERSEMESTER 2016

A. Fronten, Pulse, Quellen und Senken in verallgemeinerten komplexen Ginzburg-Landau Gleichungen

Fronts, pulses, sources and sinks in generalized complex Ginzburg-Landau equations

Literatur: [1, 2] and references therein

B. Instabilitäten und Musterbildung auf sich verändernden Domänen

Instabilities and pattern formation on time-varying domains

Literatur: [3, 4] and references therein

C. Selbstbewegte Tröpfchen in aktiven Emulsionen

Self-propelled droplets in active emulsions **Literatur:** [5–7]

D. Quasikristalle und flüssig-kristalline Phasen in mikroskopischen Kontinuummodellen

Quasicrystals and liquid crystalline phases in microscopic continuum models **Literatur:** [8–11]

E. Die Rayleigh-Taylor Instabilität - lineare und nichtlineare Analyse

The Rayleigh-Taylor instability - linear and nonlinear analysis

Literatur: [12–15] and references therein

-
- [1] W van Saarloos and PC Hohenberg. Fronts, pulses, sources and sinks in generalized complex Ginzburg-Landau equations. *Physica D*, 56:303–367, 1992. [doi:10.1016/0167-2789\(92\)90175-M](https://doi.org/10.1016/0167-2789(92)90175-M).
 - [2] I. S. Aranson and L. Kramer. The world of the complex Ginzburg-Landau equation. *Rev. Mod. Phys.*, 74:99–143, 2002.
 - [3] E Knobloch and R Krechetnikov. Stability on time-dependent domains. *J. Nonlinear Sci.*, 24:493–523, 2014. [doi:10.1007/s00332-014-9197-6](https://doi.org/10.1007/s00332-014-9197-6).
 - [4] E Knobloch and R Krechetnikov. Problems on time-varying domains: Formulation, dynamics, and challenges. *Acta Appl. Math.*, 137:123–157, 2015. [doi:10.1007/s10440-014-9993-x](https://doi.org/10.1007/s10440-014-9993-x).
 - [5] S Thutupalli, R Seemann, and S Herminghaus. Swarming behavior of simple model squirmers. *New J. Phys.*, 13:073021, 2011. [doi:10.1088/1367-2630/13/7/073021](https://doi.org/10.1088/1367-2630/13/7/073021).
 - [6] M Schmitt and H Stark. Swimming active droplet: A theoretical analysis. *Europhys. Lett.*, 101:44008, 2013. [doi:10.1209/0295-5075/101/44008](https://doi.org/10.1209/0295-5075/101/44008).
 - [7] S Herminghaus, CC Maass, C Kruger, S Thutupalli, L Goehring, and C Bahr. Interfacial mechanisms in active emulsions. *Soft Matter*, 10:7008–7022, 2014. [doi:10.1039/c4sm00550c](https://doi.org/10.1039/c4sm00550c).
 - [8] CV Achim, R Wittkowski, and H Löwen. Stability of liquid crystalline phases in the phase-field-crystal model. *Phys. Rev. E*, 83:061712, 2011. [doi:10.1103/PhysRevE.83.061712](https://doi.org/10.1103/PhysRevE.83.061712).
 - [9] CV Achim, M Schmiedeberg, and H Lowen. Growth modes of quasicrystals. *Phys. Rev. Lett.*, 112, 2014. [doi:10.1103/PhysRevLett.112.255501](https://doi.org/10.1103/PhysRevLett.112.255501).
 - [10] AJ Archer, AM Ruckridge, and E Knobloch. Quasicrystalline order and a crystal-liquid state in a soft-core fluid. *Phys. Rev. Lett.*, 111:165501, 2013. [doi:10.1103/PhysRevLett.111.165501](https://doi.org/10.1103/PhysRevLett.111.165501).
 - [11] AJ Archer, AM Ruckridge, and E Knobloch. Soft-core particles freezing to form a quasicrystal and a crystal-liquid phase. *Phys. Rev. E*, 92:012324, 2015. [doi:10.1103/PhysRevE.92.012324](https://doi.org/10.1103/PhysRevE.92.012324).
 - [12] M. Fermigier, L. Limat, J. E. Wesfreid, P. Boudinet, and C. Quilliet. 2-dimensional patterns in Rayleigh-Taylor instability of a thin-layer. *J. Fluid Mech.*, 236:349–383, 1992. [doi:10.1017/S0022112092001447](https://doi.org/10.1017/S0022112092001447).
 - [13] R. J. Deissler and A. Oron. Stable localized patterns in thin liquid films. *Phys. Rev. Lett.*, 68:2948–2951, 1992.
 - [14] J. M. Burgess, A. Juel, W. D. McCormick, J. B. Swift, and H. L. Swinney. Suppression of dripping from a ceiling. *Phys. Rev. Lett.*, 86:1203–1206, 2001.

- [15] M. Bestehorn and D. Merkt. Regular surface patterns on Rayleigh-Taylor unstable evaporating films heated from below. *Phys. Rev. Lett.*, 97:127802, 2006. [doi:10.1103/PhysRevLett.97.127802](https://doi.org/10.1103/PhysRevLett.97.127802).